



ACETONE

PRODUCT SPECIFICATION

CAS No 67-64-1
CE No 200-662-2

PARAMETER	UNIT	LIMITS	METHOD
Color, Pt-Co	Hazen	5 max	ASTM D 1209 ASTM D 5386
Dry residue	g/100 ml	0.001 max	ASTM D 1353
Purity	% weight	>99,6	CG / DIN 55685
Density at 20°C	g/ml	0.791	ASTM D 4052 ASTM D268
Water content	% weight	<0.5%	ASTM D 1364 ASTM E 1064
Water miscibility	-	Clear and miscible	ASTM D 1722
Boiling Point	°C	56	ASTM D 1613-12

RISK & SAFETY PHRASES AND HAZARD SYMBOLS

Check the Material Safety Data Sheet.

STORAGE

Avoid temperatures below 5 °C and above 30°C.
Do not expose directly to the sun.
It can be stored for 12 months in its original and closed package.

The information and recommendations indicated on this technical data sheet reflect our current knowledge, laboratory experiments and normal experience. For this reason, our guarantee is limited to the quality of the product supplied. This company shall not assume any liability arising from misuse of our products.